

Annual Drinking Water Quality Report

Period of January 1 to December 31, 2021 PSW ID 1290016

This report provides you with important information about your drinking water and the efforts to provide safe drinking water. For more information regarding this report, contact Mindi Letchworth, Administrative Supervisor, at 972-564-3801 or email mindi@highpointsud.com.

Information about Your Drinking Water

Drinking water sources (tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material and can pick up substances resulting from animals or human activity. Drinking water, including bottled water, may reasonably contain at least small amounts of some contaminants. Contaminants do not necessarily indicate that water poses a health risk. Call the EPA's Safe Drinking Water Hotline (800) 426-4791 to obtain more information about contaminants and potential health effects.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, can naturally result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides may come from various sources such as agriculture, urn stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, are by-products of industrial processes and petroleum production and can also come from gas stations, urban stormwater runoff, and septic systems.
- Radioactive contaminants can naturally result from oil and gas production and mining activities.

To ensure that tap water is safe to drink, EPA prescribes regulations that limit the number of specific contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water, providing the same protections for public health.

Contaminants may be found in drinking water that may cause taste, color, or odor problems. These types of issues do not necessarily cause health concerns. Please contact the office for more information on drinking water's taste, odor, or color.

In drinking water, you may be more vulnerable than the general population to specific microbial contaminants, such as Cryptosporidium. Infants, some elderly, or immunocompromised persons such as those undergoing chemotherapy for cancer, those undergoing organ transplants; those undergoing treatment with steroids; and people with HIV/AIDS or other immune system disorders can be particularly at risk from infections. You should seek advice about drinking water from your physician or health care providers. Additional guidelines on appropriate means to lessen the risk of infection by Cryptosporidium are available from the Safe Drinking Water Hotline (800) 426-4791.

If present, elevated lead levels can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high-quality drinking water, but we cannot control the various materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure are available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Information about Source Water

High Point WSC purchases Surface Water from the City of Forney and Terrell. North Texas Municipal Water District treats raw water from Lake Lavon and Lake Tawakoni and sells it to Forney and Terrell.

Public Participation Opportunities

The Board of Directors holds a public meeting every 3rd Thursday of each month at 16983 Valley View Road, Forney, TX 75126, beginning at 6:00 pm. To learn more about future public meetings, visit our website at www.highpointsud.com.

The TCEQ has completed a Source Water Susceptibility for all drinking water systems that own their sources. The report describes the susceptibility and constituents that may contact your drinking water source based on human activities and natural conditions. The technique(s) from which we purchased our water received the assessment report. For more information on our system's source water assessments and protection efforts, contact Mindi Letchworth at mindi@highpointsud.com or call 972-564-3801.

Water Conservation

No landscape and lawn irrigation from 10 am - 6 pm. Prohibit using water in such a manner as to allow runoff or other waste. Limit watering with sprinklers or irrigation systems to no more than two days per week as needed per the following schedule:

- -Addresses ending in 0, 2, 4, 6, 8 Wednesday & Saturday
- -Addresses ending in 1, 3, 5, 7, 9 Tuesday & Friday

En Español

Este reporte incluye información imporante sobre el agua para tomar. Para asistencia en español, favor de llamar al telefono 972-564-3801.

Definitions

Action Level – The concentration of a contaminant, if exceeded, triggers treatment or other requirements a water system must follow.

Maximum Contaminant Level (MCL) – The highest contaminant level allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Level 1 Assessment – A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

Maximum Contaminant Level Goal (MCLG) – The contaminant level in drinking water below which there is no known or expected health risk. MCLGs allow for a margin of safety.

Maximum residual disinfectant level (MRDL) – The highest level of disinfectant allowed in drinking water. There is convincing evidence that the addition of a disinfectant is necessary to control microbial contaminants.

Maximum residual disinfectant level goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected health risk. MRDLGs do not reflect the benefits of disinfectants to control microbial contaminants.

NA – Not applicable

NTU – Nephelometric turbidity units (a measure of turbidity)

pCi/L - Picocuries per liter (a measurement of radioactivity)

ppb - Micrograms per liter or parts per billion - or one ounce in 7,350,000 gallons of water

ppm – Milligrams per liter or parts per million – or one ounce in 7,350 gallons of water

Ppt – Parts per trillion, or nanograms per liter (ng/L)

Water Purchased: 428,986,000
Water Sold: 397,769,118
Water Loss: 31,216,882
Loss Percentage: 7.28%
Accounted for Loss: 1,660,700
Unaccounted for Loss: 5.32%

NTMWD Wylie Water Treatment PlantsWater Quality Data for Year 2021

NTMWD Wylie Water Treatment PlantsWater Quality Data for Year 2021										
						Bacter	ia			
Maximum Contaminant Level Goal	Total Coliform I	Maximum Contaminant Level	Highest No. of Positive	Fecal Coliform or E. Coli Maximum	or Fecal C		Violation	Likely Source of Contamination		
0		monthly sample	1	Contaminant Level 0	Samples	0		Naturally present in the environment.		
NOTE: Reported monthly tests fo	und no fecal colif	orm bacteria. Coliforms	s are bacteria that are naturally	_				at other, potentially harmful, bacteria may be present.		
Disinfectants and Disinfection By-	I	Highest Level				ontami				
Products Total Haloacetic Acids (HAA5)	Collection Date 2021	Detected 18	Range of Levels Detected 6.9 - 23.9	MCLG No goal for the total	MCL 60	Units ppb	Violation No	Likely Source of Contamination By-product of drinking water disinfection.		
Total Trihalomethanes (TTHM) Bromate	2021 2021	29 69.2	17 - 40.6 5.27 - 69.2	No goal for the total 5	80 10	ppb ppb	No No	By-product of drinking water disinfection. By-product of drinking water ozonation.		
	y have been used	for calculating the Hig	hest Level Detected because s	some results may be pa				e compliance sampling should occur in the future. TCEQ only requires one sample annually for compliance		
Inorganic Contaminants	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination		
Antimony	2021	Levels lower than detect level	0 - 0	6	6	ppb	No	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder; and test addition.		
Arsenic	2021	Levels lower than detect level	0 - 0	0	10	ppb	No	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes.		
Barium	2021	0.038 Levels lower than	0.037 - 0.038	4	4	ppm	No No	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits. Discharge from metal refineries and coal-burning factories; discharge from electrical, aerospace, and defense		
Beryllium	2021	detect level Levels lower than	0 - 0	5	5	ppb	No	industries. Corrosion of galvanized pipes; erosion of natural deposits; discharge from metal refineries; runoff from waste		
Cadmium		detect level Levels lower than	0 - 0			ppb	No	batteries and paints.		
Chromium Cyanide	2021 2021	detect level 86.9	0 - 0 86.9 - 86.9	100 200	100 200	ppb	No No	Discharge from steel and pulp mills; erosion of natural deposits. Discharge from steel/metal factories; Discharge from plastics and fertilizer factories.		
Fluoride	2021	0.480	0.306 - 0.480	4	4	ppm	No	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories.		
Mercury	2021	Levels lower than detect level	0 - 0	2	2	ppb	No	Erosion of natural deposits; discharge from refineries and factories; runoff from landfills; runoff from cropland.		
Nitrate (measured as Nitrogen)	2021	0.802 Levels lower than	0.110 - 0.802	10	10	ppm	No	Runoff from fertilizer use; leaching from septic tanks; sewage; erosion of natural deposits.		
Selenium	2021	detect level Levels lower than	0 - 0	50	50	ppb	No	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines.		
Thallium Nitrate Advisory: Nitrate in drinkin	2021 g water at levels	detect level	0 - 0 Ith risk for infants of less than s	0.5 six months of age. High	2 nitrate leve	ppb els in drinking	No water can ca	Discharge from electronics, glass, and leaching from ore-processing sites; drug factories. ause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultura		
activity. If you are caring for an infa	ant you should as		lth care provider.							
Radioactive Contaminants	Collection Date	Detected Levels lower than	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination		
Beta/photon emitters Gross alpha excluding	2021	detect level Levels lower than	0 - 0	0	50	pCi/L	No	Decay of natural and man-made deposits.		
radon and uranium	2021	detect level	0 - 0	0	15	pCi/L	No	Erosion of natural deposits.		
Radium	2021	Levels lower than detect level	0 - 0	0	5	pCi/L	No	Erosion of natural deposits.		
Synthetic organic contaminants	Collection Date	Highest Level	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination		
including pesticides and herbicides	2019	Detected Levels lower than	0 - 0	50	50		No	Residue of banned herbicide.		
2, 4, 5 - TP (Silvex)	-	detect level Levels lower than				ppb				
2, 4 - D	2019	detect level Levels lower than	0 - 0	70 0	70	ppb	No	Runoff from herbicide used on row crops.		
Alachlor		detect level Levels lower than	0 - 0	_	2	ppb	No	Runoff from herbicide used on row crops.		
Aldicarb	2019	detect level Levels lower than	0 - 0	1	3	ppb	No	Runoff from agricultural pesticide.		
Aldicarb Sulfone	2019	detect level Levels lower than	0 - 0	1	2	ppb	No	Runoff from agricultural pesticide.		
Aldicarb Sulfoxide Atrazine	2019 2021	detect level 0.3	0 - 0 0.2 - 0.3	3	4	ppb	No No	Runoff from agricultural pesticide. Runoff from herbicide used on row crops.		
Benzo (a) pyrene	2021	Levels lower than detect level	0 - 0	0	200	ppt	No	Leaching from linings of water storage tanks and distribution lines.		
Carbofuran	2019	Levels lower than detect level	0 - 0	40	40	ppb	No	Leaching of soil fumigant used on rice and alfalfa.		
Chlordane	2021	Levels lower than detect level	0 - 0	0	2	ppb	No	Residue of banned termiticide.		
Dalapon	2019	Levels lower than detect level	0 - 0	200	200	ppb	No	Runoff from herbicide used on rights of way.		
Di (2-ethylhexyl) adipate	2021	Levels lower than detect level	0 - 0	400	400	ppb	No	Discharge from chemical factories.		
Di (2-ethylhexyl) phthalate	2021	Levels lower than	0 - 0	0	6	ppb	No	Discharge from rubber and chemical factories.		
Dibromochloropropane (DBCP)	2019	detect level Levels lower than	0 - 0	0	200	ppt	No	Runoff / leaching from soil fumigant used on soybeans, cotton, pineapples, and orchards.		
Dinoseb	2019	detect level Levels lower than detect level	0 - 0	7	7	ppb	No	Runoff from herbicide used on soybeans and vegetables.		
Endrin	2021	Levels lower than	0 - 0	2	2	ppb	No	Residue of banned insecticide.		
Ethylene dibromide	2019	Levels lower than	0 - 0	0	50	ppt	No	Discharge from petroleium refineries.		
Heptachlor	2021	Levels lower than	0 - 0	0	400	ppt	No	Residue of banned termiticide.		
Heptachlor epoxide	2021	detect level Levels lower than	0 - 0	0	200	ppt	No	Breakdown of heptachlor.		
Hexachlorobenzene	2021	detect level Levels lower than	0 - 0	0	1	ppb	No	Discharge from metal refineries and agricultural chemical factories.		
Hexachlorocyclopentadiene	2021	detect level Levels lower than	0 - 0	50	50	ppb	No	Discharge from chemical factories.		
Lindane	2021	Levels lower than	0 - 0	200	200	ppt	No	Runoff / leaching from insecticide used on cattle, lumber, and gardens.		
Methoxychlor	2021	detect level Levels lower than	0 - 0	40	40	ppb	No	Runoff / leaching from insecticide used on fruits, vegetables, alfalfa, and livestock.		
Oxamyl [Vydate]	2019	detect level Levels lower than	0 - 0	200	200	ppb	No	Runoff / leaching from insecticide used on apples, potatoes, and tomatoes.		
Pentachlorophenol	2019	detect level Levels lower than	0 - 0	0	1	ppb	No	Discharge from wood preserving factories.		
Picloram	2019	detect level Levels lower than	0 - 0	500	500	ppb	No	Herbicide runoff.		
Simazine	2021	detect level 0.12	0.08 - 0.12	4	4	ppb	No	Herbicide runoff.		
Toxaphene	2021	Levels lower than detect level	0 - 0	0	3	ppb	No	Runoff / leaching from insecticide used on cotton and cattle.		
Volatile Organic Contaminants	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination		
1, 1, 1 - Trichloroethane	2021	Levels lower than detect level	0 - 0	200	200	ppb	No	Discharge from metal degreasing sites and other factories.		
1, 1, 2 - Trichloroethane	2021	Levels lower than detect level	0 - 0	3	5	ppb	No	Discharge from industrial chemical factories.		
1, 1 - Dichloroethylene	2021	Levels lower than detect level	0 - 0	7	7	ppb	No	Discharge from industrial chemical factories.		
	2021	Levels lower than	0 - 0	70	70	ppb	No	Discharge from textile-finishing factories.		
1, 2, 4 - Trichlorobenzene	2021	detect level								
1, 2, 4 - Trichlorobenzene 1, 2 - Dichloroethane	2021	Levels lower than detect level	0 - 0	0	5	ppb	No	Discharge from industrial chemical factories.		
	1	Levels lower than	0 - 0 0 - 0	0	5 5	ppb ppb	No No	Discharge from industrial chemical factories. Discharge from industrial chemical factories.		
1, 2 - Dichloroethane	2021	Levels lower than detect level Levels lower than								

Volatile Organic Contaminants	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Chlorobenzene	2021	Levels lower than detect level	0 - 0	100	100	ppb	No	Discharge from chemical and agricultural chemical factories.
Dichloromethane	2021	Levels lower than detect level	0 - 0	0	5	ppb	No	Discharge from pharmaceutical and chemical factories.
Ethylbenzene	2021	Levels lower than detect level	0 - 0	0	700	ppb	No	Discharge from petroleum refineries.
Styrene	2021	Levels lower than detect level	0 - 0	100	100	ppb	No	Discharge from rubber and plastic factories; leaching from landfills.
Tetrachloroethylene	2021	Levels lower than detect level	0 - 0	0	5	ppb	No	Discharge from factories and dry cleaners.
Toluene	2021	Levels lower than detect level	0 - 0	1	1	ppm	No	Discharge from petroleum factories.
Trichloroethylene	2021	Levels lower than detect level	0 - 0	0	5	ppb	No	Discharge from metal degreasing sites and other factories.
Vinyl Chloride	2021	Levels lower than detect level	0 - 0	0	2	ppb	No	Leaching from PVC piping; discharge from plastics factories.
Xylenes	2021	Levels lower than detect level	0 - 0	10	10	ppm	No	Discharge from petroleum factories; discharge from chemical factories.
cis - 1, 2 - Dichloroethylene	2021	Levels lower than detect level	0 - 0	70	70	ppb	No	Discharge from industrial chemical factories.
o - Dichlorobenzene	2021	Levels lower than detect level	0 - 0	600	600	ppb	No	Discharge from industrial chemical factories.
p - Dichlorobenzene	2021	Levels lower than detect level	0 - 0	75	75	ppb	No	Discharge from industrial chemical factories.
trans - 1, 2 - Dicholoroethylene	2021	Levels lower than	0 - 0	100	100	ppb	No	Discharge from industrial chemical factories.

Turbidity

	Limit (Treatment Technique)	Level Detected	Violation	Likely Source of Contamination
Highest single measurement	1 NTU	0.39 NTU	No	Soil runoff.
Lowest monthly percentage (%) meeting limit	0.3 NTU	98.80%	No	Soil runoff.

NOTE: Turbidity is a measurement of the cloudiness of the water caused by suspended particles. We monitor it because it is a good indicator of water quality and the effectiveness of our filtration.

Maximum Residual Disinfectant Level

Disinfectant Type	Year	Average Level of Quarterly Data	Lowest Result of Single Sample	Highest Result of Single Sample	MRDL	MRDLG	Units	Source of Chemical
Chlorine Residual (Chloramines)	2021	1.96	1.00	2.50	4.00	<4.0	ppm	Disinfectant used to control microbes.
Chlorine Dioxide	2021	0	0	0	0.80	0.80	ppm	Disinfectant.
Chlorite	2021	0.105	0	0.97	1.00	N/A	mag	Disinfectant

NOTE: Water providers are required to maintain a minimum chlorine disinfection residual level of 0.5 parts per million (ppm) for systems disinfecting with chloramines and an annual average chlorine disinfection residual level of between 0.5 (ppm) and 4 parts per million (ppm).

Total Organic Carbon

	Collection Date	Highest LevelDetected	Range of Levels Detected	Units	Likely Source of Contamination
Source Water	2021	4.66	3.69 - 4.66	ppm	Naturally present in the environment.
Drinking Water	2021	4.01	2.01 - 4.01	ppm	Naturally present in the environment.
Removal Ratio	2021	46.0	1.9 - 46.0	% removal *	N/A

NOTE: Total organic carbon (TOC) has no health effects. The disinfectant can combine with TOC to form disinfection by-products. Disinfection is necessary to ensure that water does not have unacceptable levels of pathogens. By-products of disinfection include trihalomethanes (THMs) and haloacetic acids (HAA) which are reported elsewhere in this report. * Removal ratio is the percent of TOC removed by the treatment process divided by the percent of TOC required by TCEQ to be removed.

Cryptosporidium and Giardia

Contaminants	Collection Date	Highest Level Detected	Range of Levels Detected	Units	Likely Source of Contamination
Cryptosporidium	2021	0	0 - 0	(Oo) Cysts/L	Human and animal fecal waste.
Giardia	2021	0	0 - 0	(Oo) Cvsts/L	Human and animal fecal waste

Lead and Copper

Lead and Copper	Date Sampled	Action Level (AL)	90th Percentile	# Sites Over AL	Units	Violation	Likely Source of Contamination
Lead	8/29/2019	15	1.2	0	ppb		Corrosion of household plumbing systems; erosion of natural deposits.
Copper	8/29/2019	1.30	0.47	0	ppm		Erosion of natural deposits; leaching from wood preservatives; corrosion of household plumbing systems.

ADDITIONAL HEALTH INFORMATION FOR LEAD: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. High Point SUD is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing you tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Unregulated Contaminants

	Contaminants	Collection Date	Highest Level Detected	Range of Levels Detected	Units	Likely Source of Contamination
	Chloroform	2021	11.5	9.58 - 11.5	ppb	By-product of drinking water disinfection.
	Bromoform	2021	1	1-1	ppb	By-product of drinking water disinfection.
В	romodichloromethane	2021	6.09	5.9 - 6.09	ppb	By-product of drinking water disinfection.
D	ibromochloromethane	2021	8.9	5.7 - 8.9	ppb	By-product of drinking water disinfection.
NOTE:	Bromoform, chloroform, b	romodichloromet	thane, and dibromochloromethane are disinfection by-	products. There is no maximum of	ontaminant level for these	chemicals at the entry point to distribution.

Secondary and Other Constituents Not Regulated

Contaminants	Collection Date	Highest Level Detected	Range of Levels Detected	Units	Likely Source of Contamination
Aluminum	2021	Levels lower than detect level	0 - 0	ppm	Erosion of natural deposits.
Calcium	2021	77.5	34.5 - 77.5	ppm	Abundant naturally occurring element.
Chloride	2021	73.5	4.78 - 73.5	ppm	Abundant naturally occurring element; used in water purification; by-product of oil field activity.
Iron	2021	Levels lower than detect level	0 - 0	ppm	Erosion of natural deposits; iron or steel water delivery equipment or facilities.
Magnesium	2021	4.43	3.40 - 4.43	ppm	Abundant naturally occurring element.
Manganese	2021	0.038	0 - 0.038	ppm	Abundant naturally occurring element.
Nickel	2021	0.0060	0.004 - 0.006	ppm	Erosion of natural deposits.
pH	2021	9.12	7.56 - 9.12	units	Measure of corrosivity of water.
Silver	2021	Levels lower than detect level	0 - 0	ppm	Erosion of natural deposits.
Sodium	2021	81.1	33.0 - 81.1	ppm	Erosion of natural deposits; by-product of oil field activity.
Sulfate	2021	153	22.4 - 153	ppm	Naturally occurring; common industrial by-product; by-product of oil field activity.
Total Alkalinity as CaCO3	2021	128	65 - 128	ppm	Naturally occurring soluble mineral salts.
Total Dissolved Solids	2021	444	186 - 444	ppm	Total dissolved mineral constituents in water.
Total Hardness as CaCO3	2021	192	96 - 192	ppm	Naturally occurring calcium.
Zinc	2021	Levels lower than detect level	0 - 0	ppm	Moderately abundant naturally occurring element used in the metal industry.

Violations Table

Violation Type	Violation Begin	Violation End	Violation Explanation
CHEMICAL MONITORING, ROUTINE MAJOR	Dec-21		what nappened. On Pecennier 3 and 20 of 2021, as a result of stand oversign in Housing daily monitoring for clinionis did not pose a safety risk and does not require you take any action, NTMWD quaction, NTMWD in sequence of the monitoring violation. All samples that were collected within the transmission system and those collected in-plant during December 2021 remained below regulatory requirements and have remained below these limits ever since this monitoring requirement was implemented over a decade ago. What should I do? — There is nothing you need to do at this time and no alternate water supply is needed. What is being done? — District personnel have revised our sample validation procedures and sampling protocols to twice per day to ensure these samples are collected, above what is required by regulation. Mandatory Language for Monitoring/Reporting Violation - Chemical Sampling - CHEMICAL MONITORING, ROUTINE MAJOR The NORTH TEXAS MWD WYLIE WTP water system PWS ID TX0430044 has violated the monitoring/reporting requirements set by Texas Commission on Environmental Quality (TCEQ) in Chapter 30, Section 290, Subchapter F. Public water systems are required to collect and submit chemical samples of water provided to their customers, and report the results of the monitoring to the TCEQ on a regular basis. We failed to monitor/report the following constituents: Chlorine Dioxide /Chlorite - This/These violation(s) occurred in the monitoring reproding period(s) December 5 & 26, 2021. Results of regular monitoring are an indicator of whether your drinking water is safe from chemical contamination. We did not complete all monitoring/reporting for chemical constituents, and therefore TCEQ cannot be sure of the safety of your drinking water during that time. Potential health effects from long-term exposure above the MCL - Anemia; infants and young children: nervous system effects. Please share this information with all other people who drink this water, especially those who may not have received this notice direct

NTMWD Tawakoni Water Treatment PlantsWater Quality Data for Year 2021

NTMWD Tawakoni Water Treatment PlantsWater Quality Data for Year 2021											
				C	oliform	Bacter	ia				
	Total Coliform N	Maximum Contaminant		Coli Maximum		cal Coliform					
Maximum Contaminant Level Goal 0		monthly sample	Highest No. of Positive	Contaminant Level		mples 0	Violation No	Likely Source of Contamination Naturally present in the environment.			
NOTE: Reported monthly tests for	und no fecal colif	orm bacteria. Coliform	s are bacteria that are naturally	_				at other, potentially harmful, bacteria may be present.			
DISINTECTANTS AND DISINTECTION BY-	1	Hignest Level	ı	Regu	lated C	ontami	nants				
Products Total Haloacetic Acids (HAA5)	Collection Date 2021	Detected 18	Range of Levels Detected 6.9 - 23.9	MCLG No goal for the total	MCL 60	Units ppb	Violation No	Likely Source of Contamination By-product of drinking water disinfection.			
Total Trihalomethanes (TTHM) Bromate	2021 2021	29 4.38	17 - 40.6 4.38 - 4.38	No goal for the total 5	80 10	ppb ppb	No No	By-product of drinking water disinfection. By-product of drinking water ozonation.			
								re compliance sampling should occur in the future. TCEQ only requires one sample annually for compliance			
Inorganic Contaminants	Collection Date	Hignest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination			
Antimony	2021	Levels lower than detect level	0 - 0	6	6	ppb	No	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder; and test addition.			
Arsenic	2021	Levels lower than detect level	0 - 0	0	10	ppb	No	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes.			
Barium	2021	0.064 Levels lower than	0.064 - 0.064	2	2	ppm	No	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits. Discharge from metal refineries and coal-burning factories; discharge from electrical, aerospace, and defense			
Beryllium	2021	detect level Levels lower than	0 - 0	4	4	ppb	No	industries. Corrosion of galvanized pipes; erosion of natural deposits; discharge from metal refineries; runoff from waste			
Cadmium	2021	detect level Levels lower than	0 - 0	5	5	ppb	No	batteries and paints.			
Chromium	2021	detect level	0 - 0	100	100	ppb	No	Discharge from steel and pulp mills; erosion of natural deposits.			
Cyanide	2021	detect level	0 - 0	200	200	ppb	No	Discharge from steel/metal factories; Discharge from plastics and fertilizer factories. Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum			
Fluoride	2021	0.527 Levels lower than	0.527 - 0.527	4	4	ppm	No	factories.			
Mercury	2021 2021	detect level	0 - 0 0.166 - 0.166	2 10	2 10	ppb	No	Erosion of natural deposits; discharge from refineries and factories; runoff from landfills; runoff from cropland.			
Nitrate (measured as Nitrogen) Selenium	2021	Levels lower than	0.166 - 0.166	50	50	ppm ppb	No No	Runoff from fertilizer use; leaching from septic tanks; sewage; erosion of natural deposits. Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines.			
Thallium	2021	Levels lower than	0 - 0	0.5	2	ppb	No	Discharge from electronics, glass, and leaching from ore-processing sites; drug factories.			
Nitrate Advisory: Nitrate in drinking	Inalitum 2021 detect level 0-0 0.5 2 ppb No Discharge from electronics, glass, and leacning from ore-processing sites; drug factories. Itate Advisory: Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural citivity. If you are earing for an infant you should ask advice from your health care provider.										
Radioactive Contaminants	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination			
Beta/photon emitters Gross alpha excluding	2021	4.8 Levels lower than	4.8 - 4.8	0	50	pCi/L	No	Decay of natural and man-made deposits.			
radon and uranium	2021	detect level Levels lower than	0 - 0	0	15	pCi/L	No	Erosion of natural deposits.			
Radium	2021	detect level	0 - 0	0	5	pCi/L	No	Erosion of natural deposits.			
Synthetic organic contaminants		Highest Level									
including pesticides and herbicides 2, 4, 5 - TP (Silvex)	Collection Date 2021	Detected Levels lower than	Range of Levels Detected 0 - 0	MCLG 50	MCL 50	Units	Violation No	Likely Source of Contamination			
	2021	detect level Levels lower than		70	70	ppb		Residue of banned herbicide.			
2, 4 - D	2021	detect level Levels lower than	0 - 0	0	2	ppb ppb	No No	Runoff from herbicide used on row crops.			
Alachlor	ł	detect level Levels lower than		-			No	Runoff from herbicide used on row crops.			
Aldicarb	2021	detect level Levels lower than	0 - 0	1	3	ppb	No	Runoff from agricultural pesticide.			
Aldicarb Sulfone	2021	detect level Levels lower than	0 - 0	1	2	ppb	No	Runoff from agricultural pesticide.			
Aldicarb Sulfoxide Atrazine	2021 2021	detect level 0.1	0 - 0 0.1 - 0.1	3	3	ppb	No No	Runoff from agricultural pesticide. Runoff from herbicide used on row crops.			
Benzo (a) pyrene	2021	Levels lower than detect level	0 - 0	0	200	ppt	No	Leaching from linings of water storage tanks and distribution lines.			
Carbofuran	2021	Levels lower than detect level	0 - 0	40	40	ppb	No	Leaching of soil fumigant used on rice and alfalfa.			
Chlordane	2021	Levels lower than detect level	0 - 0	0	2	ppb	No	Residue of banned termiticide.			
Dalapon	2021	Levels lower than detect level	0 - 0	200	200	ppb	No	Runoff from herbicide used on rights of way.			
Di (2-ethylhexyl) adipate	2021	Levels lower than detect level	0 - 0	400	400	ppb	No	Discharge from chemical factories.			
Di (2-ethylhexyl) phthalate	2021	Levels lower than detect level	0 - 0	0	6	ppb	No	Discharge from rubber and chemical factories.			
Dibromochloropropane (DBCP)	2021	Levels lower than detect level	0 - 0	0	200	ppt	No	Runoff / leaching from soil fumigant used on soybeans, cotton, pineapples, and orchards.			
Dinoseb	2021	Levels lower than detect level	0 - 0	7	7	ppb	No	Runoff from herbicide used on soybeans and vegetables.			
Endrin	2021	Levels lower than detect level	0 - 0	2	2	ppb	No	Residue of banned insecticide.			
Ethylene dibromide	2021	Levels lower than detect level	0 - 0	0	50	ppt	No	Discharge from petroleium refineries.			
Heptachlor	2021	Levels lower than detect level	0 - 0	0	400	ppt	No	Residue of banned termiticide.			
Heptachlor epoxide	2021	Levels lower than detect level	0 - 0	0	200	ppt	No	Breakdown of heptachlor.			
Hexachlorobenzene	2021	Levels lower than	0 - 0	0	1	ppb	No	Discharge from metal refineries and agricultural chemical factories.			
Hexachlorocyclopentadiene	2021	Levels lower than	0 - 0	50	50	ppb	No	Discharge from chemical factories.			
Lindane	2021	Levels lower than	0 - 0	200	200	ppt		Runoff / leaching from insecticide used on cattle, lumber, and gardens.			
Methoxychlor	2021	Levels lower than	0 - 0	40	40	ppb	No	Runoff / leaching from insecticide used on fruits, vegetables, alfalfa, and livestock.			
Oxamyl [Vydate]	2021	Levels lower than	0 - 0	200	200	ppb	No	Runoff / leaching from insecticide used on apples, potatoes, and tomatoes.			
Pentachlorophenol	2021	detect level Levels lower than	0 - 0	0	1	ppb	No	Discharge from wood preserving factories.			
Picloram	2021	detect level Levels lower than	0 - 0	500	500	ppb	No	Herbicide runoff.			
Simazine	2021	Levels lower than	0 - 0	4	4	ppb	No	Herbicide runoff.			
Toxaphene	2021	detect level Levels lower than	0 - 0	0	3	ppb	No	Runoff / leaching from insecticide used on cotton and cattle.			
Volatile Organic Contaminants	Collection Date	detect level Hignest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination			
1, 1, 1 - Trichloroethane	2021	Levels lower than	0 - 0	200	200	ppb	No	Discharge from metal degreasing sites and other factories.			
i, i, i = monorechane	2021	detect level Levels lower than	0 - 0	3	5	ppb	No	Discharge from industrial chemical factories.			
1, 1, 2 - Trichloroethane		detect level	0 - 0	7	7	ppb	No	Discharge from industrial chemical factories.			
	2021	Levels lower than	0 - 0								
1, 1, 2 - Trichloroethane	2021 2021	detect level Levels lower than	0 - 0	70	70	ppb	No	Discharge from textile-finishing factories.			
1, 1, 2 - Trichloroethane 1, 1 - Dichloroethylene	-	Levels lower than detect level Levels lower than		70 0	70 5	ppb ppb	No No	Discharge from textile-finishing factories. Discharge from industrial chemical factories.			
1, 1, 2 - Trichloroethane 1, 1 - Dichloroethylene 1, 2, 4 - Trichlorobenzene	2021	detect level Levels lower than detect level Levels lower than detect level Levels lower than	0 - 0								
1, 1, 2 - Trichloroethane 1, 1 - Dichloroethylene 1, 2, 4 - Trichlorobenzene 1, 2 - Dichloroethane	2021	detect level Levels lower than detect level Levels lower than detect level	0 - 0 0 - 0	0	5	ppb	No	Discharge from industrial chemical factories.			

Volatile Organic Contaminants	Collection Date	Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Chlorobenzene	2021	Levels lower than detect level	0 - 0	100	100	ppb	No	Discharge from chemical and agricultural chemical factories.
Dichloromethane	2021	Levels lower than detect level	0 - 0	0	5	ppb	No	Discharge from pharmaceutical and chemical factories.
Ethylbenzene	2021	Levels lower than detect level	0 - 0	0	700	ppb	No	Discharge from petroleum refineries.
Styrene	2021	Levels lower than detect level	0 - 0	100	100	ppb	No	Discharge from rubber and plastic factories; leaching from landfills.
Tetrachloroethylene	2021	Levels lower than detect level	0 - 0	0	5	ppb	No	Discharge from factories and dry cleaners.
Toluene	2021	Levels lower than detect level	0 - 0	1	1	ppm	No	Discharge from petroleum factories.
Trichloroethylene	2021	Levels lower than detect level	0 - 0	0	5	ppb	No	Discharge from metal degreasing sites and other factories.
Vinyl Chloride	2021	Levels lower than detect level	0 - 0	0	2	ppb	No	Leaching from PVC piping; discharge from plastics factories.
Xylenes	2021	Levels lower than detect level	0 - 0	10	10	ppm	No	Discharge from petroleum factories; discharge from chemical factories.
cis - 1, 2 - Dichloroethylene	2021	Levels lower than detect level	0 - 0	70	70	ppb	No	Discharge from industrial chemical factories.
o - Dichlorobenzene	2021	Levels lower than detect level	0 - 0	600	600	ppb	No	Discharge from industrial chemical factories.
p - Dichlorobenzene	2021	Levels lower than detect level	0 - 0	75	75	ppb	No	Discharge from industrial chemical factories.
trans - 1, 2 - Dicholoroethylene	2021	Levels lower than detect level	0 - 0	100	100	ppb	No	Discharge from industrial chemical factories.

Turbidity

	Limit (Treatment Technique)	Level Detected	Violation	Likely Source of Contamination
Highest single measurement	1 NTU	0.35 NTU	No	Soil runoff.
Lowest monthly percentage (%) meeting limit	0.3 NTU	99.40%	No	Soil runoff.

NOTE: Turbidity is a measurement of the cloudiness of the water caused by suspended particles. We monitor it because it is a good indicator of water quality and the effectiveness of our filtration

Maximum Residual Disinfectant Level

Disinfectant Type	Year	Average Level	Minimum Level	Maximum Level	MRDL	MRDLG	Units	Source of Chemical
Chlorine Residual (Chloramines)	2021	1.96	1.00	2.50	4.00	<4.0	ppm	Disinfectant used to control microbes.
Chlorine Dioxide	2021	0.03	0	0.58	0.80	0.80	ppm	Disinfectant.
Chlorite	2021	0.10	0	0.76	1.00	N/A	ppm	Disinfectant.

NOTE: Water providers are required to maintain a minimum chlorine disinfection residual level of 0.5 parts per million (ppm) for systems disinfecting with chloramines and an annual average chlorine disinfection residual level of between 0.5 (ppm) and 4 parts per million

Total Organic Carbon

	Collection Date	Highest Level Detected	Range of Levels Detected	Units	Likely Source of Contamination
Source Water	2021	5.50	4.46 - 5.50	ppm	Naturally present in the environment.
Drinking Water	2021	3.36	2.17 - 3.36	ppm	Naturally present in the environment.
Removal Ratio	2021	57.7	33.2 - 57.7	% removal *	N/A

NOTE: Total organic carbon (TOC) has no health effects. The disinfectant can combine with TOC to form disinfection by-products. Disinfection is necessary to ensure that water does not have unacceptable levels of pathogens. By-products of disinfection include trihalomethanes (THMs) and haloacetic acids (HAA) which are reported elsewhere in this report. *Removal ratio is the percent of TOC removed by the treatment process divided by the percent of TOC required by TCEQ to be removed.

Cryptosporidium and Giardia

Contaminants	Collection Date	Highest Level Detected	Range of Levels Detected	Units	Likely Source of Contamination		
Cryptosporidium	2021	0	0 - 0	(Oo) Cysts/L	Human and animal fecal waste.		
Giardia	2021	0.09	0.09 - 0.09	(Oo) Cysts/L	Human and animal fecal waste.		
NOTE: Only source water was ev	IOTE: Only source water was evaluated for cryptosporidium and giardia. Levels shown are not for drinking water.						

Lead and Copper

Lead and Copper	Date Sampled	Action Level (AL)	90th Percentile	# Sites Over AL	Units	Violation	Likely Source of Contamination
Lead	8/29/2019	15	1.2	0	ppb	No	Erosion of natural deposits; leaching from wood preservatives; corrosion of household plumbing systems.
Copper	8/29/2019	1.3	0.47	0	ppm	No	Corrosion of household plumbing systems; erosion of natural deposits.

ADDITIONAL HEALTH INFORMATION FOR LEAD: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. High Point SUD is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing you tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Unregulated Contaminants

Contaminants	Collection Date	Highest Level Detected	Range of Levels Detected	Units	Likely Source of Contamination		
Chloroform	2021	11.5	9.58 - 11.5	ppb	By-product of drinking water disinfection.		
Bromoform	2021	1	1 - 1	ppb	By-product of drinking water disinfection.		
Bromodichloromethane	2021	6.09	5.9 - 6.09	ppb	By-product of drinking water disinfection.		
Dibromochloromethane	2021	8.9	5.7 - 8.9	ppb	By-product of drinking water disinfection.		
NOTE: Descriptions obligations to	TE. Promoform, phaseform, bromodiphlacomethous, and discomethous are disinfaction by products. There is no maximum contaminant level for those chamicals at the entry point to distribution.						

Secondary and Other Constituents Not Regulated

Contaminants	Collection Date	Highest Level Detected	Range of Levels Detected	Units	Likely Source of Contamination
Aluminum	2021	0.082	0.082 - 0.082	ppm	Erosion of natural deposits.
Calcium	2021	61.5	40.4 - 61.5	ppm	Abundant naturally occurring element.
Chloride	2021	17.1	12.2 - 17.1	ppm	Abundant naturally occurring element; used in water purification; by-product of oil field activity.
Iron	2021	Levels lower than detect level	0 - 0	ppm	Erosion of natural deposits; iron or steel water delivery equipment or facilities.
Magnesium	2021	2.74	2.74 - 2.74	ppm	Abundant naturally occurring element.
Manganese	2021	0.033	0.0019 - 0.033	ppm	Abundant naturally occurring element.
Nickel	2021	0.0037	0.0037 - 0.0037	ppm	Erosion of natural deposits.
pH	2021	8.40	7.7 - 8.4	units	Measure of corrosivity of water.
Silver	2021	Levels lower than detect level	0 - 0	ppm	Erosion of natural deposits.
Sodium	2021	24.2	13.6 - 24.2	ppm	Erosion of natural deposits; by-product of oil field activity.
Sulfate	2021	78.70	51.5 - 78.7	ppm	Naturally occurring; common industrial by-product; by-product of oil field activity.
Total Alkalinity as CaCO3	2021	72	54 - 72	ppm	Naturally occurring soluble mineral salts.
Total Dissolved Solids	2021	231	172 - 231	ppm	Total dissolved mineral constituents in water.
Total Hardness as CaCO3	2021	128.00	98 - 128	ppm	Naturally occurring calcium.
Zinc	2021	Levels lower than detect level	0 - 0	ppm	Moderately abundant naturally occurring element used in the metal industry.